

**CHAPTER 3**

**Decision  
Structures**

starting out with >>>

**JAVA**<sup>™</sup>

From Control Structures through Objects

6TH EDITION



TONY GADDIS

# Chapter Topics

Chapter 3 discusses the following main topics:

- The `if` Statement
- The `if-else` Statement
- Nested `if` statements
- The `if-else-if` Statement
- Logical Operators
- Comparing `String` Objects

# Chapter Topics

Chapter 3 discusses the following main topics:

- More about Variable Declaration and Scope
- The Conditional Operator
- The `switch` Statement
- Displaying Formatted Output with `System.out.printf` and `String.format`

# The `if` Statement


- The `if` statement decides whether a section of code executes or not.
- The `if` statement uses a `boolean` to decide whether the next statement or block of statements executes.

*if (boolean expression is true)  
    execute next statement.*

# Flowcharts

- If statements can be modeled as a flow chart.

```
if (coldOutside)  
  wearCoat();
```




# Flowcharts

- A block `if` statement may be modeled as:

```
if (coldOutside)
{
    wearCoat ();
    wearHat ();
    wearGloves ();
}
```

**Note the use of curly braces to block several statements together.**



# Relational Operators

- In most cases, the `boolean` expression, used by the `if` statement, uses *relational operators*.

Relational Operator	Meaning
>	is greater than
<	is less than
>=	is greater than or equal to
<=	is less than or equal to
==	is equal to
!=	is not equal to

# Boolean Expressions

- A *boolean expression* is any variable or calculation that results in a *true* or *false* condition.

Expression	Meaning
$x > y$	Is x greater than y?
$x < y$	Is x less than y?
$x \geq y$	Is x greater than or equal to y?
$x \leq y$	Is x less than or equal to y.
$x == y$	Is x equal to y?
$x != y$	Is x not equal to y?



# if Statements and Boolean Expressions

```
if (x > y)
    System.out.println("X is greater than Y");
```

```
if (x == y)
    System.out.println("X is equal to Y");
```

```
if (x != y)
{
    System.out.println("X is not equal to Y");
    x = y;
    System.out.println("However, now it is.");
}
```

Example: [AverageScore.java](#)

# Programming Style and `if` Statements

- An `if` statement can span more than one line; however, it is still one statement.

```
if (average > 95)
    grade = 'A';
```

is functionally equivalent to

```
if (average > 95) grade = 'A';
```

# Programming Style and `if` Statements

- Rules of thumb:
  - The conditionally executed statement should be on the line after the `if` condition.
  - The conditionally executed statement should be indented one level from the `if` condition.
  - If an `if` statement does not have the block curly braces, it is ended by the first semicolon encountered after the `if` condition.

```
if (expression)           ← No semicolon here.  
    statement;           ← Semicolon ends statement here.
```

# Block `if` Statements

- Conditionally executed statements can be grouped into a block by using curly braces `{ }` to enclose them.
- If curly braces are used to group conditionally executed statements, the `if` statement is ended by the closing curly brace.

```
if (expression)
```

```
{
```

```
    statement1;
```

```
    statement2;
```

```
}
```

 **Curly brace ends the statement.**

# Block `if` Statements

- Remember that when the curly braces are not used, then only the next statement after the `if` condition will be executed conditionally.

```
if (expression)
```

```
    statement1;
```

```
    statement2;
```

```
    statement3;
```

← Only this statement is conditionally executed.

# Flags

- A flag is a `boolean` variable that monitors some condition in a program.
- When a condition is true, the flag is set to `true`.
- The flag can be tested to see if the condition has changed.

```
if (average > 95)
    highScore = true;
```

- Later, this condition can be tested:

```
if (highScore)
    System.out.println("That's a high score!");
```

# Comparing Characters

- Characters can be tested with relational operators.
- Characters are stored in memory using the Unicode character format.
- Unicode is stored as a sixteen (16) bit number.
- Characters are *ordinal*, meaning they have an order in the Unicode character set.
- Since characters are ordinal, they can be compared to each other.

```
char c = 'A';  
if (c < 'Z')  
    System.out.println("A is less than Z");
```

# `if-else` Statements


- The `if-else` statement adds the ability to conditionally execute code when the `if` condition is false.

```
if (expression)
    statementOrBlockIfTrue;
else
    statementOrBlockIfFalse;
```

- See example: [Division.java](#)




# if-else Statement Flowcharts



# Nested `if` Statements

- If an `if` statement appears inside another `if` statement (single or block) it is called a *nested if* statement.
- The nested `if` is executed only if the outer `if` statement results in a true condition.
- See example: [LoanQualifier.java](#)

# Nested `if` Statement Flowcharts



# Nested `if` Statements

```
if (coldOutside)
{
    if (snowing)
    {
        wearParka();
    }
    else
    {
        wearJacket();
    }
}
else
{
    wearShorts();
}
```

## `if-else` Matching

- Curly brace use is not required if there is only one statement to be conditionally executed.
- However, sometimes curly braces can help make the program more readable.
- Additionally, proper indentation makes it much easier to match up else statements with their corresponding `if` statement.

# Alignment and Nested `if` Statements

This `if` and `else`  
go together.

This `if` and `else`  
go together.

```
if (coldOutside)
{
    if (snowing)
    {
        wearParka();
    }
    else
    {
        wearJacket();
    }
}
else
{
    wearShorts();
}
```

# if-else-if Statements

```
if (expression_1)
{
    statement;
    statement;
    etc.
}
else if (expression_2)
{
    statement;
    statement;
    etc.
}
```

*If expression\_1 is true these statements are executed, and the rest of the structure is ignored.*

*Otherwise, if expression\_2 is true these statements are executed, and the rest of the structure is ignored.*

***Insert as many else if clauses as necessary***

```
else
{
    statement;
    statement;
    etc.
}
```


*These statements are executed if none of the expressions above are true.*

# `if-else-if` Statements

- Nested `if` statements can become very complex.
- The `if-else-if` statement makes certain types of nested decision logic simpler to write.
- Care must be used since `else` statements match up with the immediately preceding unmatched `if` statement.
- See example: [TestResults.java](#)



# if-else-if Flowchart



# Logical Operators

- Java provides two binary *logical operators* (`&&` and `||`) that are used to combine `boolean` expressions.
- Java also provides one *unary* (`!`) logical operator to reverse the truth of a `boolean` expression.

# Logical Operators

Operator	Meaning	Effect
<b>&amp;&amp;</b>	<b>AND</b>	Connects two <code>boolean</code> expressions into one. Both expressions must be true for the overall expression to be true.
<b>  </b>	<b>OR</b>	Connects two <code>boolean</code> expressions into one. One or both expressions must be true for the overall expression to be true. It is only necessary for one to be true, and it does not matter which one.
<b>!</b>	<b>NOT</b>	The <code>!</code> operator reverses the truth of a <code>boolean</code> expression. If it is applied to an expression that is true, the operator returns false. If it is applied to an expression that is false, the operator returns true.

# The && Operator

- The logical AND operator (&&) takes two operands that must both be `boolean` expressions.
- The resulting combined expression is true if (and *only* if) both operands are true.
- See example: [LogicalAnd.java](#)

Expression 1	Expression 2	Expression1 && Expression2
true	false	false
false	true	false
false	false	false
true	true	true

# The || Operator

- The logical OR operator ( || ) takes two operands that must both be `boolean` expressions.
- The resulting combined expression is false if (and *only* if) both operands are false.
- Example: [LogicalOr.java](#)

Expression 1	Expression 2	Expression1    Expression2
true	false	true
false	true	true
false	false	false
true	true	true

# The ! Operator

- The ! operator performs a logical NOT operation.
- If an *expression* is true, *!expression* will be false.

```
if (!(temperature > 100))  
    System.out.println("Below the maximum temperature.");
```

- If `temperature > 100` evaluates to false, then the output statement will be run.

Expression 1	!Expression1
true	false
false	true

# Short Circuiting

- Logical AND and logical OR operations perform *short-circuit evaluation* of expressions.
- Logical AND will evaluate to false as soon as it sees that one of its operands is a false expression.
- Logical OR will evaluate to true as soon as it sees that one of its operands is a true expression.

# Order of Precedence

- The `!` operator has a higher order of precedence than the `&&` and `||` operators.
- The `&&` and `||` operators have a lower precedence than relational operators like `<` and `>`.
- Parenthesis can be used to force the precedence to be changed.



# Order of Precedence

Order of Precedence	Operators	Description
1	(unary negation) !	Unary negation, logical NOT
2	* / %	Multiplication, Division, Modulus
3	+ -	Addition, Subtraction
4	< > <= >=	Less-than, Greater-than, Less-than or equal to, Greater-than or equal to
5	== !=	Is equal to, Is not equal to
6	&&	Logical AND
7		Logical OR
8	= += -= *= /= %=	Assignment and combined assignment operators.

# Comparing `String` Objects

- In most cases, you cannot use the relational operators to compare two `String` objects.
- Reference variables contain the address of the object they represent.
- Unless the references point to the same object, the relational operators will not return true.
- See example: [StringCompare.java](#)
- See example: [StringCompareTo.java](#)

# Ignoring Case in String Comparisons

- In the `String` class the `equals` and `compareTo` methods are case sensitive.
- In order to compare two `String` objects that might have different case, use:
  - `equalsIgnoreCase`, or
  - `compareToIgnoreCase`
- See example: [SecretWord.java](#)

# The Conditional Operator

- The *conditional operator* is a ternary (three operand) operator.
- You can use the conditional operator to write a simple statement that works like an `if-else` statement.

# The Conditional Operator

- The format of the operators is:

*BooleanExpression ? Value1 : Value2*

- This forms a conditional expression.
- If *BooleanExpression* is true, the value of the conditional expression is *Value1*.
- If *BooleanExpression* is false, the value of the conditional expression is *Value2*.

# The Conditional Operator

- Example:

```
z = x > y ? 10 : 5;
```

- This line is functionally equivalent to:

```
if (x > y)
```

```
    z = 10;
```

```
else
```

```
    z = 5;
```

# The Conditional Operator

- Many times the conditional operator is used to supply a value.

```
number = x > y ? 10 : 5;
```

- This is functionally equivalent to:

```
if(x > y)
    number = 10;
else
    number = 5;
```

- See example: [ConsultantCharges.java](#)

# The `switch` Statement

- The `if-else` statement allows you to make true / false branches.
- The `switch` statement allows you to use an ordinal value to determine how a program will branch.
- The `switch` statement can evaluate an *integer* type or *character* type variable and make decisions based on the value.



# The `switch` Statement

- The `switch` statement takes the form:

```
switch (SwitchExpression)
{
    case CaseExpression:
        // place one or more statements here
        break;
    case CaseExpression:
        // place one or more statements here
        break;

    // case statements may be repeated
    //as many times as necessary
    default:
        // place one or more statements here
}
```

# The `switch` Statement

```
switch (SwitchExpression)  
{  
    ...  
}
```

- The `switch` statement will evaluate the *SwitchExpression*, which can be a `byte`, `short`, `int`, `long`, or `char`. If you are using Java 7, the *SwitchExpression* can also be a `string`.
- If there is an associated `case` statement that matches that value, program execution will be transferred to that `case` statement.

# The `switch` Statement

- Each case statement will have a corresponding *CaseExpression* that must be unique.

```
case CaseExpression:  
    // place one or more statements here  
    break;
```

- If the *SwitchExpression* matches the *CaseExpression*, the Java statements between the colon and the `break` statement will be executed.

# The case Statement

- The `break` statement ends the case statement.
- The `break` statement is optional.
- If a case does not contain a `break`, then program execution continues into the next case.
  - See example: [NoBreaks.java](#)
  - See example: [PetFood.java](#)
- The `default` section is optional and will be executed if no *CaseExpression* matches the *SwitchExpression*.
- See example: [SwitchDemo.java](#)


# The `System.out.printf` Method

- You can use the `System.out.printf` method to perform formatted console output.
- The general format of the method is:

```
System.out.printf(FormatString, ArgList);
```

# The `System.out.printf` Method

```
System.out.printf(FormatString, ArgList);
```




***FormatString* is a string that contains text and/or special formatting specifiers.**

***ArgList* is optional. It is a list of additional arguments that will be formatted according to the format specifiers listed in the format string.**

# The `System.out.printf` Method

- A simple example:

```
System.out.printf("Hello World\n");
```




# The `System.out.printf` Method

- Another example:

```
int hours = 40;
```

```
System.out.printf("I worked %d hours.\n", hours);
```





# The System.out.printf Method

```
int hours = 40;
```

```
System.out.printf("I worked %d hours.\n", hours);
```

**The %d format specifier indicates that a decimal integer will be printed.**


**The contents of the hours variable will be printed in the location of the %d format specifier.**

# The `System.out.printf` Method

- **Another example:**

```
int dogs = 2, cats = 4;
```

```
System.out.printf("We have %d dogs and %d cats.\n",  
                 dogs, cats);
```




# The `System.out.printf` Method

- **Another example:**

```
double grossPay = 874.12;
```

```
System.out.printf("Your pay is %f.\n", grossPay);
```



# The `System.out.printf` Method

- **Another example:**

```
double grossPay = 874.12;
```

```
System.out.printf("Your pay is %f.\n", grossPay);
```

**The `%f` format specifier indicates that a floating-point value will be printed.**


**The contents of the `grossPay` variable will be printed in the location of the `%f` format specifier.**

# The `System.out.printf` Method

- **Another example:**

```
double grossPay = 874.12;
```

```
System.out.printf("Your pay is %.2f.\n", grossPay);
```




# The System.out.printf Method

- **Another example:**

```
double grossPay = 874.12;
```

```
System.out.printf("Your pay is %.2f.\n", grossPay);
```



**The `%.2f` format specifier indicates that a floating-point value will be printed, rounded to two decimal places.**


# The `System.out.printf` Method

- **Another example:**

```
double grossPay = 5874.127;
```

```
System.out.printf("Your pay is %, .2f.\n", grossPay);
```

**The `%, .2f` format specifier indicates that a floating-point value will be printed with comma separators, rounded to two decimal places.**




The screenshot shows a Windows command prompt window titled "C:\WINDOWS\system32\cmd.exe". The output displayed is "Your pay is 5,874.13". A red arrow points from the circled format specifier in the code above to the output in the command prompt.

# The `System.out.printf` Method

- **Another example:**

```
String name = "Ringo";
```

```
System.out.printf("Your name is %s.\n", name);
```




**The `%s` format specifier indicates that a string will be printed.**



# The `System.out.printf` Method

- Specifying a field width:

```
int number = 9;  
System.out.printf("The value is %6d\n", number);
```




The screenshot shows a Windows command prompt window with the title bar "C:\WINDOWS\system32\cmd.exe". The command prompt displays the output of the `printf` statement: "The value is 9". A red bracket is drawn under the number "9", and a red line extends from the bracket to a text box on the right. Another red line extends from the text box to a red circle around the `%6d` format specifier in the code above.

**The `%6d` format specifier indicates the integer will appear in a field that is 6 spaces wide.**

# The `System.out.printf` Method

- Another example:

```
double number = 9.76891;  
System.out.printf("The value is %6.2f\n", number);
```



**The `%6.2f` format specifier indicates the number will appear in a field that is 6 spaces wide, and be rounded to 2 decimal places.**

# The `System.out.printf` Method

- See examples:
  - [Columns.java](#)
  - [CurrencyFormat.java](#)

# The `String.format` Method

- The `String.format` method works exactly like the `System.out.printf` method, except that it does not display the formatted string on the screen.
- Instead, it returns a reference to the formatted string.
- You can assign the reference to a variable, and then use it later.

# The `String.format` Method

- The general format of the method is:

```
String.format(FormatString, ArgumentList);
```

***FormatString*** is a string that contains text and/or special formatting specifiers.

***ArgumentList*** is optional. It is a list of additional arguments that will be formatted according to the format specifiers listed in the format string.

# The `String.format` Method

- See examples:
  - [CurrencyFormat2.java](#)
  - [CurrencyFormat3.java](#)